

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(3D or 3-D or three adj dimensional\$1 or scanner)and digital and micromirror adj device and modulate and structured and light adj signal and projected adj beam same object and generat\$4 adj shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:20
L2	0	(3D or 3-D or three adj dimensional\$1 or scanner)and digital and micromirror adj device and structured adj light and project\$3 adj beam and object and generat\$4 adj shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:22
L3	0	(3D or 3-D or three adj dimensional\$1 or scanner)and micromirror adj device and structured adj light and project \$3 adj beam and object and generat\$4 adj shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:23
L4	2117	(3D or 3-D or three adj dimensional\$1 or scanner\$1) and micromirror adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:23
L5	30982	(3D or 3-D or three adj dimensional\$1 or scanner)and micromirror adj device and (light or source or laser adj light)and project\$3 light adj beam and object and (generat \$4 adj shape or depth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:25
L6	2312	(3D or 3-D or three adj dimensional\$1 or scanner)and micromirror adj device and (light or source or laser adj light)and project\$3 light adj beam and object and (generat \$4 adj shape or depth)adj information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:26

L7	490	(3D or 3-D or three adj dimensional\$1 or scanner)and encod\$3 and micromirror adj device and(light or source or laser adj light or structural adj light)and project\$3 light adj beam and object and(generat \$4 adj shape or depth)adj object and(reval or reconstruct \$3)and(contour or edge or filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:34
L8	308	L7 and(@ad<"20040115" or @rlad<"20040115" or @prad<"20040115" or @ptad<"20040115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:34
L9	256	L7 and @ad<"20040115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:34
L10	9	L9 and(detect\$3 or determining)and reflect\$3 and (light or source or laser adj light or structural adj light)and project\$3 same light adj beam same object same(generat\$3 adj shape or depth or contour or edge or filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:40
L11	0	L10 and(detect\$3 or determining)and reflect\$3 and (light or source or laser adj light or structural adj light)and detector and(configured or connected)and pass\$3 adj (single adj bit or binary adj data)and decoder and(pixel\$ or pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:45
L12	0	L10 and reflect\$3 and(light or source or laser adj light or structural adj light)and detector and(configured or connected)and pass\$3 adj (single adj bit or binary adj data)and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:47
L13	8	reflect\$3 and(light or source or laser adj light or structural adj light)and detector and (configured or connected)and pass\$3 adj(single adj bit or binary adj data)and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:47
L14	7	L13 and @ad<"20040115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:47

L16	0	L14 and(3D or 3-D or three adj dimensional\$1 or scanner) and encod\$3 and micromirror adj device and(light or source or laser adj light or structural adj light)and project\$3 and light adj beam and object and (generat\$4 adj shape or depth adj object or object)and (contour or edge or filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:50
L17	0	L14 and micromirror	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:59
L18	0	L13 and micromirror	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:59
L20	1	(3D or 3-D or three adj dimensional\$1 or scanner)and encod\$3 adj unit and micromirror adj device and (light or source or laser adj light or structural adj light)and project\$3 and light adj beam and object and(generat\$4 adj shape or depth)and(detect\$3 or determining)same(contour or edge\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:20
L21	1	encod\$3 adj unit and micromirror adj device and (light or source or laser adj light or structural adj light)and project\$3 and light adj beam and object and(generat\$4 adj shape or depth)and(detect\$3 or determining)same(contour or edge\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:21
L22	13	encod\$3 adj unit and micromirror adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:23
L23	0	L22 and reflect\$3 and(light or source or laser adj light or structural adj light)and detector and(configured or connected)and pass\$3 adj (single adj bit or binary adj data)and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:24

L24	5	L22 and @ad<"20040115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:24
L25	0	L24 and(detect\$3 or determining)and reflect\$3 and (light or source or laser adj light or structural adj light)and project\$3 same object same (generat\$3 adj shape or depth or contour or edge\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:25
L26	1	L22 and(detect\$3 or determining)and reflect\$3 and (light or source or laser adj light or structural adj light)and project\$3 same object same (generat\$3 adj shape or depth or contour or edge\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:26
L27	8275	(directing or project\$3 or reflect\$3)and(light or source or laser adj light or structural adj light)and(digital adj micromirror or micromirror adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:34
L28	82	L27 and(detect\$3 or determining)and reflect\$3 and (light or source or laser adj light or structural adj light)and project\$3 same object same (generat\$3 adj shape or depth or contour or edge\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:35
L29	36	L28 and @ad<"20040115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:35
L31	420	L27 and operat\$3 and(digital adj micromirror or micromirror adj device)and(light or source or laser adj light or structural adj light)same changing same beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:39
L32	1	L31 and(detect\$3 or determining)and reflect\$3 and (light or source or laser adj light or structural adj light) same detector and synchronized adj beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:40
L33	1	L31 and(detect\$3 or determining)and reflect\$3 and (light or source or laser adj light or structural adj light)and detector and synchronized adj beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:41

L34	1	L31 and reflect\$3 and(light or source or laser adj light or structural adj light)and detector and synchronized adj beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:42
L35	0	L31 and detector and (configured or connected)and pass\$3 adj(single adj bit or binary adj data)and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:45
L36	26	(directing or project\$3 or reflect\$3)and(light or source or laser adj light or structural adj light)and(digital adj micromirror or micromirror adj device)and operat\$3 and modulat\$3 and change adj beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:52
L37	0	L36 and(detect\$3 or determining)and reflect\$3 and (light or source or laser adj light or structural adj light)and detector and synchronized adj beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:52
L38	0	L36 and(detect\$3 or determining)and reflect\$3 and (light or source or laser adj light or structural adj light)and detector and synchronized and beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:53
L39	0	L36 and detector and (configured or connected)and pass\$3 adj(single adj bit or binary adj data)and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:53
L40	10	L36 and @ad<"20040115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:53
L42	0	L40 and(light or source or laser adj light or structural adj light or laser)and detector and synchronized adj beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:58
L43	0	L40 and detector and (configured or connected)and pass\$3 adj(single adj bit or binary adj data or gary or grey)and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:59

L45	4	L40 and decod\$3 and reflect\$3 and(light or source or laser adj light or structural adj light) and (determining or detect\$3) and object and(generat\$3 adj shape or depth or contour or edge\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 12:06
L46	0	L45 and detector and (configured or connected)and pass\$3 adj(single adj bit or binary adj data or gary or grey)and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 12:06
L47	0	L40 and detector and (configured or connected)and pass\$3 adj(single adj bit or binary adj data or gary or grey)and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 12:06
L48	0	L40 and(detect\$3 or determining)and reflect\$3 and (light or source or laser adj light or structural adj light)and detector and synchronized and beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 12:12
L49	0	L45 and detector and (configured or connected)and pass\$3 adj(single adj bit or binary adj data or gary or grey)and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 12:13
L50	396146	(directing or project\$3 or reflect\$3)and(light or source or laser adj light or structural adj light or beam)same object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 12:16
L51	1	L50 and modulat\$3 and light adj frame and dark adj frame and light adj beam and reach\$3 adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 12:19
L52	1	L50 and light adj frame and dark adj frame and light adj beam and reach\$3 adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 12:20
L53	1	L50 and calculat\$3 and mid adj level and light adj frame and dark adj frame and light adj beam and reach\$3 adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 12:24

S1	5000855	(3D or 3-D or three adj dimensional\$1 or scanner)and digital and micromirror adj device and modulate and structured and light adj signal and projected adj beam and generate and shape of an object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 13:44
S2	0	(3D or 3-D or three adj dimensional\$1 or scanner)and digital and micromirror adj device and modulate and structured and light adj signal and projected adj beam and generate and shape adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 13:45
S3	0	(3D or 3-D or three adj dimensional\$1 or scanner)and digital and micromirror adj device and modulate and structured and light adj signal and projected adj beam and generate and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 13:45
S4	0	(3D or 3-D or three adj dimensional\$1 or scanner)and micromirror adj device and modulate and structured and light and projected adj beam and generate and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 13:46
S5	1	(3D or 3-D or three adj dimensional\$1 or scanner)and micromirror adj device and structured adj light and projected adj beam and generate and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 13:47
S6	76884	"382"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 13:57
S7	98576	"356"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 13:57
S8	0	S6 and(3D or 3-D or three adj dimensional\$1 or scanner)and micromirror adj device and structured adj light and projected adj beam and generate and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 13:58
S9	1	S7 and(3D or 3-D or three adj dimensional\$1 or scanner)and micromirror adj device and structured adj light and projected adj beam and generate and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 13:58

S10	131735	"359"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 13:59
S11	0	S10 and(3D or 3-D or three adj dimensional\$1 or scanner) and micromirror adj device and structured adj light and projected adj beam and generate and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 14:00
S12	23	((RON) near2 (KIMMEL)).INV.	US-PGPUB; USPAT	OR	ON	2009/07/19 14:17
S13	0	S12 and(3D or 3-D or three adj dimensional\$1 or scanner) and micromirror adj device and structured adj light and projected adj beam and generate and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 14:18
S14	1	S12 and(3D or 3-D or three adj dimensional\$1 or scanner) and micromirror adj device and structured adj light and projected adj beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 14:18
S15	0	S9 and(@ad<"20040115" or @rlad<"20040115" or @prad<"20040115" or @ptad<"20040115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 14:34

2/19/10 12:25:08 PM

C:\ Documents and Settings\ Schawan\ My Documents\ EAST\ Workspaces\ 6046.wsp